




design: *Terma*

Connections:



Electric radiators:



We recommend:


A set of integrated thermostatic valves with immersion tube for S1 and S8 connections



Integrated pipe-masking set



Available sizes:




Specifications:

Working pressure: 0,8 MPa Maximum operating temperature: 82°C

A ↓	B ↔	75/65/20°C [W]	55/45/20°C [W]	⊕ [W]	D [mm]	E [mm]	F [mm]	H [dm³]	⚖ [kg]	Product Code <small>Configuration codes: 3</small>
820	440	533	288	600	400	680	70	5,44	11,70	WZTYN082044
820	540	645	348	600	500	680	70	6,39	13,75	WZTYN082054
820	640	755	407	800	600	680	70	7,35	15,80	WZTYN082064
1020	440	666	358	600	400	880	70	7,03	15,09	WZTYN102044
1020	540	806	433	800	500	880	70	8,29	17,78	WZTYN102054
1020	640	943	507	1000	600	880	70	9,54	20,47	WZTYN102064
1260	440	828	444	800	400	1120	70	8,46	18,12	WZTYN126044
1260	540	1002	537	1000	500	1120	70	9,95	21,32	WZTYN126054
1420	440	930	497	1000	400	1280	70	9,73	20,83	WZTYN142044

Tytus One


The radiator has a built-in ONE heating element.



A — Height B — Width C1-C5 — Distance between pipe centres D — Horizontal distance between mounting bracket centres
 E — Vertical distance between mounting brackets F — Distance between a mounting bracket and the bottom of the radiator

Collector:

Profile:





Product codes can be found in product data sheet tables. The codes provide some basic information about the product while a partially filled configuration code contains complementary information about the detailed specifications. When placing an order, product codes should include the fully completed configuration part. The configuration code part should be placed after the main product code. The main product code and configuration part will appear as shown in the example below:

The Construction of the product and configuration code for a radiator with the built-in heating element ONE

WWBNN076050

K916E1W

PRODUCT CODE
(located in the table for the product)

CONFIGURATION CODE
(supplemented by hand)

Configuration

K 916 E1 P

Package code Colour code Connection code Type of heating element cable code
K – carton box

Zinc powder primer

C – Code of zinc powder primer is an extra processes

WLAL054030 K916SX **C** — *Extra processes or additions code*



Legend



Available in chrome finish.



Radiator available in a "water" version.



Radiator suitable for dual fuel connection. Electric heating element can be installed.



Radiator available in electric only version. It comes prefilled with a 'heating medium' and equipped with a heating element. All tested and ready to use.



Connection types dedicated for this radiator.

The icon shows the flow and return connections for the radiator as well as the thermostatic valve and heating element position if applicable.



Optional connections available for this radiator.



Suggested heating element power output for electric and dual fuel versions.



Weight.



Capacity.