


Angus H



 Colour included
in the price



Angus H 520 x 1460
colour: *soft green apple*

Integrated thermostatic valve, angled, left, chrome
SLIM thermostatic head, chrome
Integrated pipe-masking set, chrome
KTX 2 heating element, chrome

Angus H




Colour included in the price


design: Artes Design

Connections:


A \updownarrow 360÷680:



A \updownarrow 600÷680:



Electric radiators:



We recommend:

Integrated thermostatic valve set for YL, YP, Y1 and Y8 connections




Integrated pipe-masking set



KTX 3 heating element



Available sizes:



Specifications:


Working pressure: 0,8 MPa Maximum operating temperature: 95°C

A \updownarrow	B \leftrightarrow	C1 [mm]	C2 [mm]	75/65 20°C [W]	55/45 20°C [W]	 [W]	D [mm]	E [mm]	F [mm]	 [dm ³]	 [kg]	Product Code Configuration codes 4
360	1140	50	1100	416	227	400	1100	160	100	5,18	11,20	WGANH036114
440	1300	50	1260	538	292	600	1260	240	100	6,92	14,96	WGANH044130
520	1460	50	1420	680	366	800	1420	320	100	8,88	19,20	WGANH052146
600	1620	50	1580	841	449	800	1580	400	100	11,07	23,93	WGANH060162
680	1780	50	1740	1022	540	1000	1740	480	100	13,48	29,14	WGANH068178

Angus H




Colour included
in the price



A — Height B — Width C1-C5 — Distance between pipe centres D — Horizontal distance between mounting bracket centres
E — Vertical distance between mounting brackets F — Distance between a mounting bracket and the bottom of the radiator

Profile:





 Colour included
in the price

Product codes can be found in product data sheet tables. The codes provide some basic information about the product while a partially filled configuration code contains complementary information about the detailed specifications. When placing an order, product codes should include the fully completed configuration part. The configuration code part should be placed after the main product code. The main product code and configuration part will appear as shown in the example below:

The construction of a water and dual fuel radiator product and configuration code:

WGALE054030

K916SX

PRODUCT CODE
(located in the table for the product)

CONFIGURATION CODE
(supplemented by hand)

Configuration

K **916** **SX**

Package code Colour code Connection code
K – carton box

Construction of electric heater configuration code

WLALE054030

K916E1DRYM

PRODUCT CODE
(located in the table for the product)

CONFIGURATION CODE
(supplemented by hand)

Configuration

K **916** **E1** **DRY** **M**

Package code Colour code Connection code Heating element code Type of heating element cable code
K – carton box

Zinc powder primer

C – Code of zinc powder primer is an extra processes

WLALE054030 K916SX **C** – *Extra processes or additions code*

Angus H



 Colour included
in the price

Legend



Available in chrome finish.



Radiator available in a “water” version.



Radiator suitable for dual fuel connection. Electric heating element can be installed.



Radiator available in electric only version. It comes prefilled with a ‘heating medium’ and equipped with a heating element. All tested and ready to use.



Connection types dedicated for this radiator.
The icon shows the flow and return connections for the radiator as well as the thermostatic valve and heating element position if applicable.



Optional connections available for this radiator.



Suggested heating element power output for electric and dual fuel versions.



Weight.



Capacity.