





Easy DW 1980 x 200 colour: silver matt

Integrated thermostatic valve with immersion tube, straight, right, satin SLIM thermostatic head, satin Integrated pipe-masking set, satin





design: Terma

Connections:



Electric radiators:



We recommend:

A set of integrated thermostatic valves with immersion tube for S1 and S8 connections




EASY shelf ZIP V hanger



Integrated pipe-masking set



Available sizes:



Specifications:


Working pressure: 0,8 MPa Maximum operating temperature: 95°C

A	$\begin{matrix} B \\ \leftrightarrow \end{matrix}$	75 65 20°c [W]	55 45 20°¢ [W]	⊚ [W]	E [mm]	F [mm]	[dm³]	<u>(kg</u>	Product configuration codes. 4
1660	200	314	170	300	1440	21	4,40	6,94	WGEAW166020
1980	200	378	204	400	1760	21	5,27	8,28	WGEAW198020

20160107wolka www.termaheat.pl page 2 of 5







 $A-Height \quad B-Width \quad C1-C5-Distance \ between \ pipe \ centres \quad D-Horizontal \ distance \ between \ mounting \ bracket \ centres \\ E-Vertical \ distance \ between \ mounting \ brackets \quad F-Distance \ between \ a \ mounting \ bracket \ and \ the \ bottom \ of \ the \ radiator$

Profile:







Product codes can be found in product data sheet tables. The codes provide some basic information about the product while a partially filled configuration code contains complementary information about the detailed specifications. When placing an order, product codes should include the fully completed configuration part. The configuration code part should be placed after the main product code. The main product code and configuration part will appear as shown in the example below:

The construction of a water and dual fuel radiator product and configuration code:

WGALE054030

K916SX

PRODUCT CODE (located in the table for the product)

CONFIGURATION CODE (supplemented by hand)

Configuration



Zinc powder primer

C – Code of zinc powder primer is an extra processes


WLALE054030 K916SX C — Extra processes or additions code

www.termaheat.pl 20160107wolka page 4 of 5





Legend



www.termaheat.pl 20160107wolka page 5 of 5