



design: Krzysztof Kotłowski

Connections:



Electric radiators:



We recommend:


A set of integrated thermostatic valves with immersion tube for S1 and S8 connections



Integrated pipe-masking set



Available sizes:



Specifications:

Working pressure: 0,8 MPa Maximum operating temperature: 82°C




A ↑	B ↔	75.65/20°C [W]	55.45/20°C [W]	 [W]	D [mm]	E [mm]	F [mm]	 [dm³]	 [kg]	Product Code Configuration codes. <?>
555	480	324	176	300	390	405	75	1,92	6,84	WZKIN055048
870	480	476	255	400	390	720	75	2,96	10,33	WZKIN087048
1185	480	628	336	600	390	1035	75	4,00	13,82	WZKIN118048
1500	480	780	415	800	390	1350	75	5,04	17,31	WZKIN150048
1815	480	932	496	1000	390	1665	75	6,08	20,80	WZKIN181048

Kioto One

The radiator has a built-in ONE heating element.





Colour included in the price




A — Height B — Width C1-C5 — Distance between pipe centres D — Horizontal distance between mounting bracket centres
E — Vertical distance between mounting brackets F — Distance between a mounting bracket and the bottom of the radiator

Collector:

Profile:





Product codes can be found in product data sheet tables. The codes provide some basic information about the product while a partially filled configuration code contains complementary information about the detailed specifications. When placing an order, product codes should include the fully completed configuration part. The configuration code part should be placed after the main product code. The main product code and configuration part will appear as shown in the example below:

The Construction of the product and configuration code for a radiator with the built-in heating element ONE

WWBNN076050

K916E1W

PRODUCT CODE
(located in the table for the product)

CONFIGURATION CODE
(supplemented by hand)

Configuration

K 916 E1 P

Package code Colour code Connection code Type of heating element cable code
K – carton box

Zinc powder primer

C – Code of zinc powder primer is an extra processes

WLAL054030 K916SX **C** — *Extra processes or additions code*

Kioto One

The radiator has a built-in ONE heating element.



Colour included in the price

Legend



Available in chrome finish.



Radiator available in a "water" version.



Radiator suitable for dual fuel connection. Electric heating element can be installed.



Radiator available in electric only version. It comes prefilled with a 'heating medium' and equipped with a heating element. All tested and ready to use.



Connection types dedicated for this radiator.
The icon shows the flow and return connections for the radiator as well as the thermostat valve and heating element position if applicable.



Optional connections available for this radiator.



Suggested heating element power output for electric and dual fuel versions.



Weight.



Capacity.