

# Aero HG



Colour included  
in the price



Aero H 410 x 1500  
colour: *morning beige*

Integrated thermostatic valve, angled, left, chrome  
SLIM thermostatic head, chrome  
Integrated pipe-masking set, chrome


# Aero HG



Colour included  
in the price

design: Jacek Ryń

## Connections:



## We recommend:


A set of integrated thermostatic valves for YL and YP connections



Integrated pipe-masking set



## Available sizes:



## Specifications:

Working pressure: 0,7 MPa Maximum operating temperature: 95°C


A ↓	B ↔	C1 [mm]	C2 [mm]	75/65/20°C [W]	55/45/20°C [W]	D [mm]	E [mm]	F [mm]	H [dm³]	Weight [kg]	Product Code <a href="#">Configuration codes 4</a>
370	900	50	830	290	160	830	215	77,5	3,25	8,74	WGARG037090
370	1200	50	1130	388	214	1130	215	77,5	4,57	11,57	WGARG037120
370	1500	50	1430	485	267	1430	215	77,5	5,90	14,41	WGARG037150
370	1800	50	1730	582	320	1730	215	77,5	7,22	17,24	WGARG037180
455	1200	50	1130	480	265	1130	300	77,5	5,72	14,48	WGARG045120
455	1500	50	1430	600	330	1430	300	77,5	7,37	18,03	WGARG045150
455	1800	50	1730	720	396	1730	300	77,5	9,03	21,57	WGARG045180

# Aero HG




Colour included  
in the price



**YP**



**YL**




**SX**



A — Height B — Width C1-C5 — Distance between pipe centres D — Horizontal distance between mounting bracket centres  
E — Vertical distance between mounting brackets F — Distance between a mounting bracket and the bottom of the radiator

**Profile:**





Product codes can be found in product data sheet tables. The codes provide some basic information about the product while a partially filled configuration code contains complementary information about the detailed specifications. When placing an order, product codes should include the fully completed configuration part. The configuration code part should be placed after the main product code. The main product code and configuration part will appear as shown in the example below:

The construction of a water and dual fuel radiator product and configuration code:

WGALE054030

K916SX

PRODUCT CODE  
(located in the table for the product)

CONFIGURATION CODE  
(supplemented by hand)

Configuration

K 916 SX

Package code   Colour code   Connection code  
*K – carton box*

## Zinc powder primer

**C** – Code of zinc powder primer is an extra processes

WLALE054030 K916SX **C** — *Extra processes or additions code*

# Aero HG



Colour included  
in the price

## Legend



Available in chrome finish.



Radiator available in a "water" version.



Radiator suitable for dual fuel connection. Electric heating element can be installed.



Radiator available in electric only version. It comes prefilled with a 'heating medium' and equipped with a heating element. All tested and ready to use.



Connection types dedicated for this radiator.  
The icon shows the flow and return connections for the radiator as well as the thermostat valve and heating element position if applicable.



Optional connections available for this radiator.



Suggested heating element power output for electric and dual fuel versions.



Weight.



Capacity.